

Avtomatik uzatma quti moyi RAVENOL ATF 8HP Fluid

Sintetik



1 L

Mahsulot kodi:
1211124-001
Mahsulot kodi:
1211124-001-01-999
Shtrix-kod:
4014835719514



4 L

Mahsulot kodi:
1211124-004
Mahsulot kodi:
1211124-004-01-999
Shtrix-kod:
4014835719590



10 L

Mahsulot kodi:
1211124-010
Mahsulot kodi:
1211124-010-01-999
Shtrix-kod:
4014835719545



20 L

Mahsulot kodi:
1211124-020
Mahsulot kodi:
1211124-020-01-999
Shtrix-kod:
4014835719521



20 L, ecobox

Mahsulot kodi:
1211124-B20
Mahsulot kodi:
1211124-B20-01-888
Shtrix-kod:
4014835786622



60 L

Mahsulot kodi:
1211124-060



60 L, bosilgan barrel

Mahsulot kodi:
1211124-D60
Mahsulot kodi:
1211124-D60-01-888
Shtrix-kod:
4014835719538



208 L

Mahsulot kodi:
1211124-208



208 L, bosilgan barrel

Mahsulot kodi:

1211124-D28

Mahsulot kodi:

1211124-D28-01-888

Shtrix-kod:

4014835719507



1 000 L

Mahsulot kodi:

1211124-700

RAVENOL ATF 8HP Fluid — gidrokraking asosidagi baza moyi va PAO aralashmasiga asoslangan, maxsus qo'shimchalar va ingibitorlar majmuasi bilan boyitilgan sintetik transmissiya moyi bo'lib, ATF avtomatik uzatma qutilarining uzluksiz ishlashini hamda har qanday ekspluatatsiya sharoitida maksimal eskirishdan himoyani ta'minlaydi.

Bu yangi avlod moyi bo'lib, barcha turdagi 8 pog'onali HP seriyali transmissiyalar 8HP45, 8HP55, 6HP26, 8HP70, 8HP90 va ZF ishlab chiqarishidagi 6 pog'onali transmissiyalar 6HP19X — AUDI Q7 uchun, 6HP19A, 6HP28AF uchun mo'ljallangan. Shuningdek, ZF'ning 9HP48 seriyali avtomatik uzatma qutilarida ham qo'llanilishi mumkin.

RAVENOL ATF 8HP Fluid qo'llanishi quyidagilarni ta'minlaydi

- Qishki past haroratlarda ham juda yaxshi moylash xossalari
- Doimiy yuqori yopishqoqlik indeksi
- Yuqori oksidlanishga chidamlilik
- Eskirish, korroziya va ko'piklanishdan kompleks himoya
- Yuqori issiqlik va oksidlanish barqarorligi
- A'lo darajadagi sovutish xossalari
- Doimiy ishqalanish koeffitsienti

Xususiyatlari

Ism	Ma'nosi	Audit
Talablarga mos keladi	ATF L 12108, Acura ATF Type 3.0, BMW ATF 3+, Fiat 9.55550-AV5, Honda ATF Type 3.1, VW G 055 162, VW G 060 162, ZF TE-ML 11 9HP28, ZF TE-ML 11 9HP48, ZF TE-ML 11 9HP50	
Zichlik 20°C da	838.5 g/cm ³	EN ISO 12185
Rang	Yashil	ingl
Qotish harorati	-48 °C	DIN ISO 3016
Tavsiyalar	ATF L 12108, Acura 08200-9016A, Acura ATF Type 3.0, BMW 83222289720, BMW 83222305397 (83222152426), BMW ATF 3+, Fiat 9.55550-AV5, Honda 08200-9017, Honda ATF Type 3.1, Land Rover LR023288, Land Rover LR023289, Mopar 68157995AB, Mopar 68218925AA, VW/Audi G 055 162, VW/Audi G 060 162 A2, VW/Audi G 060 162 A1, VW/Audi G 060 162 A6, ZF S671 090 312, ZF TE-ML 11 9HP28, ZF TE-ML 11 9HP48, ZF TE-ML 11 9HP50	

OEM analoglari

Alpine

101591, 0101591, 0101590, 101590, 0101592, 101592, 0101593, 101593, 0101594, 0101595, 101595

Honda

0820009017

Jaguar

02JDE26444S1

Land Rover

LR02328

Volkswagen

G060162S0, G060162A2, G060162S2, G060162S1, G060162A2S3, G060162A2S2, G060162A2S1, G060162, G060162A1, G060162A6

Volkswagen Group

G055162S0

ZF

0671090312, 0671090314

To'xtatilgan qadoqlash

Qadoqlash	Mahsulot kodi	Shtrix-kod
1 L	1211124-001-01-000	4014835741614
	1211124-001-06-999	2200000027009
10 L	1211124-010-01-999	
60 L	1211124-060-01-999	
208 L	1211124-208-01-888	
	1211124-208-01-999	